

| Ref # | Hits | Search Query  | DBs                               | Default Operator | Plurals | Time Stamp       |
|-------|------|---|-----------------------------------|------------------|---------|------------------|
| L5    | 61   | 455/409.ccls.   | USPAT                             | OR               | ON      | 2005/12/31 12:09 |
| L7    | 742  | "455"/\$.ccls. and (allocat\$7 assign\$6 establish\$5 setup\$3) near30 (channel resource link path connection) near30 (controller bsc) near30 (((base ground) adj station) basestation groundstation gateway gate-way cellsite cell-site)                 | USPAT                             | OR               | ON      | 2005/12/31 12:13 |
| L8    | 658  | "455"/\$.ccls. and ((allocat\$7 assign\$6 establish\$5 setup\$3) near5 (channel resource link path connection)) near30 (controller bsc) near30 (((base ground) adj station) basestation groundstation gateway gate-way cellsite cell-site)                | USPAT                             | OR               | ON      | 2005/12/31 12:14 |
| L9    | 169  | "455"/\$.ccls. and ((allocat\$7 assign\$6 establish\$5 setup\$3) near5 (channel resource link path connection)) near12 between near30 (controller bsc) near30 (((base ground) adj station) basestation groundstation gateway gate-way cellsite cell-site) | USPAT                             | OR               | ON      | 2005/12/31 12:15 |
| L10   | 127  | "455"/\$.ccls. and ((allocat\$7 assign\$6 establish\$5 setup\$3) near5 (channel resource link path connection) near5 between) near30 (controller bsc) near30 (((base ground) adj station) basestation groundstation gateway gate-way cellsite cell-site)  | USPAT                             | OR               | ON      | 2005/12/31 12:16 |
| L17   | 90   | ((allocat\$7 assign\$6 establish\$5 setup\$3 arrang\$5) near5 (free\$3 unallocat\$5 un-allocat\$5 unuse\$3) near12 (channel resource link path connection) near5 between) near30 (control\$4 bsc rnc)   | USPAT; EPO; JPO; DERWENT; IBM_TDB | OR               | ON      | 2005/12/31 12:25 |
| L18   | 13   | ((allocat\$7 assign\$6 establish\$5 setup\$3 arrang\$5) near5 (free\$3 unallocat\$5 un-allocat\$5 unuse\$3) near12 (channel resource link path connection) near5 between) near30 (controller controlling bsc rnc)   | USPAT                             | OR               | ON      | 2005/12/31 12:24 |
| L21   | 90   | ((allocat\$7 assign\$6 establish\$5 setup\$3 arrang\$5 setup\$ set-up\$3) near5 (free\$3 unallocat\$5 un-allocat\$5 unuse\$3) near12 (channel resource link path connection) near5 between) near30 (control\$4 bsc rnc)                                   | USPAT; EPO; JPO; DERWENT; IBM_TDB | OR               | ON      | 2005/12/31 12:26 |

|     |     |  |  |    |    |                  |
|-----|-----|--|--|----|----|------------------|
| L22 | 817 | ((allocat\$7 assign\$6 establish\$5 setup\$3 arrang\$5 setup\$ set-up\$3) near5 (channel resource link path connection) near5 between) near30 (control\$4 bsc rnc) near30 (((base ground) adj station) basestation groundstation gateway gate-way cellsite cell-site)                            | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/12/31 12:27 |
| L23 | 671 | ((allocat\$7 assign\$6 establish\$5 setup\$3 arrang\$5 setup\$ set-up\$3) near5 (channel resource link path connection) near5 between) near12 (control\$4 bsc rnc) near12 (((base ground) adj station) basestation groundstation gateway gate-way cellsite cell-site)                            | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/12/31 12:27 |
| L24 | 285 | ((allocat\$7 assign\$6 establish\$5 setup\$3 arrang\$5 setup\$ set-up\$3) near5 (channel resource link path connection) near5 between) near12 (controller controlling bsc rnc) near12 (((base ground) adj station) basestation groundstation gateway gate-way cellsite cell-site)                | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/12/31 12:32 |
| L25 | 184 | ((allocat\$7 assign\$6 establish\$5 setup\$3 arrang\$5 setup\$ set-up\$3) near5 (channel resource link path connection)) near5 (between adj12 ((controller controlling bsc rnc) near12 (((base ground) adj station) basestation groundstation gateway gate-way cellsite cell-site)))             | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/12/31 12:33 |
| L26 | 160 | ((allocat\$7 assign\$6 establish\$5 setup\$3 arrang\$5 setup\$ set-up\$3) near5 (channel resource link path connection)) near5 (between adj12 ((controller controlling bsc rnc) near6 (((base ground) adj station) basestation groundstation gateway gate-way cellsite cell-site)))              | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/12/31 12:34 |
| L27 | 41  | ((allocat\$7 assign\$6 establish\$5 setup\$3 arrang\$5 setup\$ set-up\$3) near5 (channel resource link path connection)) near5 (between adj12 (((base adj (controller controlling)) bsc rnc) near6 (((base ground) adj station) basestation groundstation gateway gate-way cellsite cell-site))) | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/12/31 12:36 |
| L32 | 201 | ((allocat\$7 assign\$6 establish\$5 setup\$3 arrang\$5) adj (call adj (setup\$ set-up\$3)))  | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/12/31 13:02 |

|     |    |  |  |    |    |                  |
|-----|----|--|--|----|----|------------------|
| L33 | 10 | ((allocat\$7 assign\$6 establish\$5<br>setup\$3 arrang\$5) adj (call adj<br>(setup\$ set-up\$3))) adj12 (((base<br>ground) adj station) basestation<br>groundstation gateway gate-way<br>cellsite cell-site) | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/12/31 13:03 |
|-----|----|--|--|----|----|------------------|